

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/735,630	12/16/2003	Isamu Ishimura	61282-047 2674		
7590 12/15/2005			EXAM	EXAMINER	
McDERMOTT, WILL & EMERY			VU, TRISHA U		
600 13th Street, N.W. Washington, DC 20005-3096			ART UNIT	PAPER NUMBER	
			2112		

DATE MAILED: 12/15/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)				
Office Action Summary		10/735,63	30	ISHIMURA ET AL.				
		Examiner		Art Unit				
		Trisha Vu		2112				
Period fo	The MAILING DATE of this commun or Reply	ication appears on the	cover sheet with the c	orrespondence ad	dress			
WHIC - Exter after - If NO - Failu Any r	CRTENED STATUTORY PERIOD F CHEVER IS LONGER, FROM THE N Issions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comm period for reply is specified above, the maximum st tre to reply within the set or extended period for reply eply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	IAILING DATE OF TH of 37 CFR 1.136(a). In no even nunication. atutory period will apply and w will, by statute, cause the app	IIS COMMUNICATION ent, however, may a reply be tim Il expire SIX (6) MONTHS from lication to become ABANDONE	N. nely filed the mailing date of this co D (35 U.S.C. § 133).				
Status								
1)🛛	Responsive to communication(s) file	ed on <u>16 Decembe</u> r 2	<u>003</u> .					
2a) 🗌	This action is FINAL.	2b)⊠ This action is n	on-final.					
3)	Since this application is in condition	for formal matters, pro	secution as to the	e merits is				
	closed in accordance with the practi	ce under <i>Ex parte Qu</i>	ayle, 1935 C.D. 11, 45	53 O.G. 213.				
Dispositi	on of Claims							
4)🛛	4) Claim(s) 1-11 is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	Claim(s) is/are allowed.							
6)⊠	Claim(s) <u>1-11</u> is/are rejected.							
7)	· · · · · · · · · · · · · · · · · ·							
8)□	Claim(s) are subject to restrict	ction and/or election r	equirement.					
Applicati	on Papers							
<i>,</i> —	The specification is objected to by th							
10)⊠ The drawing(s) filed on <u>13 April 2004</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority (ınder 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
Attachmen	t(s) ee of References Cited (PTO-892)		4) Interview Summary	(PTO-413)				
2) Notice 3) Infor	te of Neierleices Cited (* 10-032) te of Draftsperson's Patent Drawing Review (I mation Disclosure Statement(s) (PTO-1449 of tr No(s)/Mail Date <u>12-16-03</u> .		Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate	O-152)			

DETAILED ACTION

1. Claims 1-11 are presented for examination.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, *the second contained CPU* connected to *the second bus* wherein a bus adjusting circuit *disposed between* the first bus and the second bus in the LSI (e.g. claim 11) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/735,630 Page 3

Art Unit: 2112

Claim Objections

3. Claims 5-10 are objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim cannot depend on any other multiple dependent claim. See MPEP § 608.01(n). Accordingly, the claims have not been further treated on the merits.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

- 4. Claims 3, 5 and 7 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
 - a. Claim 3 recites the limitation "the stop of the operation of the contained CPU is set" in lines 2-3. There is insufficient antecedent basis for this limitation in the claim.
 - b. Claim 5 recites the limitation "the first device" in lines 2-3. There is insufficient antecedent basis for this limitation in the claim.
 - c. Claim 7 recites the limitation "the bit or of the interrupt factor" in lines 5-6 which is not clear. It is confusing that whether the claim should read "the bit of the interrupt factor" (in this case "or" is just a typo), or Applicant refers to the output bit of the OR-gate as disclosed in the Specification. If Applicant does refer to the output bit of the OR-gate, then the claim should be amended accordingly to reflect this feature and to better clarify this confusion.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1 and 11 are rejected under 35 U.S.C. 102(b) as being anticipated by Furuhashi et al. (6,180,864) (hereinafter Furuhashi '864').

As to claim 1, Furuhashi '864' teaches a CPU contained LSI (LSI 60) (Fig. 2 and col. 2 lines 65-67) comprising: a contained CPU (CPU 3, or any of DSPs 8-1 -> 8-4); a first bus (bus 12) connected to the contained CPU; a second bus (host bus 55) connected to an external CPU (CPU 57); and a bus adjusting circuit (bus arbiter 2 and associated circuitry such as host interface 1) disposed between the first bus and the second bus to exclusively control accesses of the external CPU and the contained CPU to a device (e.g. DRAM 5, DMAC 4, DSP 8-1, 8-2, ...) connected to the first bus and connect the second bus to the first bus only when the external CPU is permitted to access the device connected to the first bus (e.g. when there is a request for data transfer from external host CPU 57 to DRAM 5) (Fig. 2 and col. 3 lines 4-25).

As to claim 11, Furuhashi '864' teaches a CPU contained LSI (LSI 60) comprising: a first contained CPU (one of DSPs 8-1 -> 8-4); a second contained CPU (CPU 3); a first bus (bus 12) connected to the first contained CPU; a second bus (bus 11) connected to the second contained CPU and a bus adjusting circuit (arbiter 2 and

associated circuitry) disposed between the first bus and the second bus to exclusively control accesses of the second contained CPU (CPU 3) and the first contained CPU to a device (e.g. DRAM 5) connected to the first bus (12) and connect the second bus to the first bus only when the second contained CPU (CPU 3) is permitted to access the device connected to the first bus (by arbiter 2) (Fig. 2, col. 3 lines 4-59 and col. 5 lines 16-28).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 2-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Furuhashi et al. (6,180,864) (hereinafter Furuhashi '864') in view of Falik et al. (6,532,507) (hereinafter Falik).

As to claim 2, the argument above for claim 1 applies. Furuhashi '864' teaches bus arbiter 2 to arbitrate the use rights to bus 12 e.g. when there is a request for data transfer from external host CPU 57 to DRAM 5, bus arbiter 2 gives the bus access from CPU 57 to DRAM 5 (Fig. 2 and col. 3 lines 4-25). However Furuhashi '864' does not explicitly disclose how to handle a contention situation when there is a request for data transfer from the external host CPU 57 during which the contained CPU 3 has an access to the device (e.g. DRAM 5) connected to the bus 12. Falik teaches how to resolve access contention when there is a request for data transfer from one CPU (e.g. CPU 3 and

Art Unit: 2112

associated circuitry) connected to a second bus (bus 4) to a device (e.g. RAM 9) connected to a first bus (bus 2) during which another CPU (CPU 1 and associated circuitry) has an access to the device (Figs. 1-2, col. 1 line 62 to col. 2 line 10, and col. 9 line 46 to col. 10 line 23). Specifically, Falik teaches in this situation, the bus arbiter (21) transmits a bus release request signal (Hold signal) to CPU 1 and transmits a wait signal (Wait signal) to CPU 3, and when the bus arbiter receives a bus release completion signal (Hold Acknowledge signal) from the CPU 1, the bus arbiter releases the wait signal to permit CPU 3 to access the device connected to the first bus (while waiting for CBC 8 to assert Hold Acknowledge signal to grant the request for control of bus 2, the arbiter stalls CPU 3 by sending Wait signal to BIC 5 (col. 1 line 62 to col. 2 line 10, and col. 9 line 46 to col. 10 line 23). It would have been obvious to one of ordinary skill in the art at the time the invention was made to implement transmitting a bus release request signal to the CPU having usage of the bus and transmitting a wait signal to the CPU requesting the bus, and releasing the wait signal to permit the requesting CPU to access the device connected to the bus after receiving a bus release completion signal as taught by Falik in the arbiter of Furuhashi '864' to resolve access contention when there is a request for data transfer from one CPU during which another CPU has an access to the bus, and also to improve the throughput rate for inter-processor data transfer between a slow and a fast processor as shown in one of Falik's embodiment (col. 9 line 46 to col. 10 line 23).

As to claim 3, Furuhashi '864' further teaches when a stop of a operation of the contained CPU is set, the bus adjusting circuit permits the external CPU to access the device connected to the first bus without transmitting the bus release request signal to the

Art Unit: 2112

contained CPU (this is inherent since if the contained CPU has stopped the operation, the contained CPU does not have data transfer operation on the bus, and thus there is no need to send out the bus release request to the contained CPU).

As to claim 4, Furuhashi '864' further teaches a common memory (e.g. DRAM 5) connected to the first bus is provided (Fig. 2).

As to claim 5, the argument above for claim 4 applies. Furuhashi '864' further teaches a memory device (e.g. DRAM 5, instruction cache 6, or program RAM 21-1 in DSP 8-1) connected to the first bus is provided for storing a program for operating the CPU contained LSI (Fig. 2 and col. 3 lines 26-65).

7. Claims 6-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Furuhashi et al. (6,180,864) (hereinafter Furuhashi '864') in view of Falik et al. (6,532,507) (hereinafter Falik), and further in view of Moyer (6,845,419).

As to claim 6, the argument above for claim 5 applies. However, Furuhashi '864' and Falik do not disclose the bus adjusting circuit is provided with an interrupt control circuit for informing of an interruption between the contained CPU and the external CPU. Falik teaches interrupt control circuit for informing of an interruption from a device or software to the main CPU (col. 1 lines 20-35 and col. 2 lines 54-67). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include the interrupt control circuit as taught by Moyer in the system of Furuhashi '864' and Falik to provide the system with the ability to handle interrupts between LSI 60 and CPU 57 since interrupts are commonly used in computer systems to provide mechanism to

Art Unit: 2112

force software to alter its current execution and perform talks that service the interrupt (col. 1 lines 20-22), and further to allow hardware (e.g. from a source in LSI) and software interrupts to be distinguished and serviced efficiently (col. 2 lines 17-20).

Page 8

As to claim 7, Moyer further teaches the interrupt control circuit includes an interrupt factor register (e.g. register 160) having a plurality of bits (0 -> N-1) in which the allocation and setting of bits of an interrupt factor are programmable and a circuit (172) for outputting the bit of the interrupt factor register as an interrupt signal (Fig. 2 and col. 5 lines 42-65).

8. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Furuhashi et al. (6,180,864) (hereinafter Furuhashi '864') in view of Falik et al. (6,532,507) (hereinafter Falik), and further in view of Furuhashi et al. (6,427,181) (hereinafter Furuhashi '181').

As to claim 8, the argument above for claim 5 applies. Furuhashi '864' further discloses the memory device connected to the first bus is a RAM (e.g. DRAM 5, or RAM 21-1 in DSP 8-1). However, Furuhashi '864' and Falik do not disclose a program at start-up for operating the contained CPU loaded by the external host from an external memory connected to the second bus when the CPU contained LSI is started. Furuhashi '181' teaches the external CPU (2) loads the DRAM (11) with a bootstrap program for operating the contained CPU (12 or 31-1) from external memory (3) connected to the second bus (22) (CPU 12 executes an initializing process according to the bootstrap program, Fig. 2 and col. 2 line 60 to col. 3 line 40). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include loading a

Art Unit: 2112

bootstrap program transferred from the external CPU for operating the contained CPU when the CPU contained LSI is started as taught by Furuhashi '181' in the system of Furuhashi '864' and Falik to increase the signal processing capability of the computer apparatus and allow a program in such an apparatus to be easily modified which is an improvement over prior art where a bootstrap program for graphic computers and video entertainment systems is fixedly stored in a built-in ROM (col. 1 lines 44-55).

9. Claims 9-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Furuhashi et al. (6,180,864) (hereinafter Furuhashi '864') in view of Falik et al. (6,532,507) (hereinafter Falik), and Furuhashi et al. (6,427,181) (hereinafter Furuhashi '181'), and further in view of Ishii et al. (5,890,210). (hereinafter Ishii).

As to claims 9-10, the argument above for claim 8 applies. Furuhashi '864' further teaches the bus adjusting circuit includes a writing data register (FIFO 31) and writes data to be written in the RAM in the writing data register (FIFO 31 temporarily stores the data that is output from host CPU 57 and outputs it to DRAM 5 via bus 12, col. 3 lines 26-32). However Furuhashi '864' does not explicitly disclose a writing address register wherein the external CPU sets the address of the RAM to the writing address register and the writing address register is incremented every time data is written in the writing data register. Ishii teaches implementing writing address register (42) (Fig. 1) in a buffer area (HDC 41 and buffer RAM 3) for transferring data to/from a memory (Medium 9) wherein the address of the memory 9 to be written is set in the writing address register 42 and the writing address register 42 is incremented every time data is

Art Unit: 2112

Page 10

written in the buffer 3 (Fig. 17 and col. 12 line 56 to col. 13 line 32). It would have been obvious to one of ordinary skill in the art at the time the invention was made to implement a writing address register in the buffer area (host interface 1) of Furuhashi '864' which can be incremented every time data is written in the buffer area as taught by Ishii to so that the operation of writing data into the memory is effected when write data is transferred to the buffer (col. 13 lines 28-32) and also the write address does not have to be set by the sending master every time data is transferred (col. 13 lines 14-27).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure, as the art teaches:

- CPU contained LSI and separate buses for external system and the CPU contained LSI:

US Patent 4,989,135

Miki

US Patent 5,933,613

Tanaka et al.

US Pub. No. 2001/0052070

Oishi et al.

- Address increment in sequential data transfer:

US Patent

6,457,144

Eberhard

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Trisha Vu whose telephone number is 571-272-3643. The examiner can normally be reached on Mon-Thur and alternate Fri 8:00am - 5:30pm.

Art Unit: 2112

Page 11

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rehana Perveen can be reached on 571-272-3676. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Trisha Vu Examiner Art Unit 2112

uv

TIM VO PRIMARY EXAMINER